


กระเจงเล็ก

ลักษณะ :	ความยาวลำตัวและหัว 40-48 ซม. หางยาว 6.5-8 ซม. สูง 20 ซม. กระเจงเล็กเป็นสัตว์กีบคู่ที่เล็กที่สุดในโลก น้ำหนักเฉลี่ย 1-2 กิโลกรัม รูปร่างหน้าตาคล้ายกวางและกวาง แต่ไม่มีเขา ขนตามลำตัวมีสีน้ำตาลแดง ที่หน้าอกและใต้ท้องมีลายสีขาวเป็นแนวยาว 3 เส้น ขนนานไปกับลำตัว ขาเล็กและแบบบาง เวลาเดินดูเหมือนหลังค่อมและหัวค้อมลง ทั้งตัวและตัวเมียมีเขี้ยวออกยาวจากกรามฝักปาก ใช้สำหรับการต่อสู้ เขี้ยวของตัวผู้จะยาวกว่าตัวเมีย
เขตแพร่กระจาย :	เมียนมาร์ตอนใต้ ไทย ลาว กัมพูชา เวียดนาม มาเลเซีย อินโดนีเซีย
ที่อยู่อาศัย :	อาศัยอยู่ตามพื้นที่ปราง เพื่อช่วยพรางตาจากศัตรู ป่าสะแกราชในป่าดิบแล้ง บริเวณซับเจ๊ก และบริเวณเขาเจ็ซว
อุปนิสัย :	มักพบหากินตามลำพัง จะพบเป็นคู่เฉพาะช่วงผสมพันธุ์ ออกหากินทั้งเวลากลางวันและกลางคืน อาหารได้แก่หญ้าอ่อน ยอดไม้อ่อน ใบไม้ หน่ออ่อน ผลไม้ที่ร่วงหล่นตามพื้น ผสมพันธุ์ได้ตลอดปี ระยะตั้งท้องนาน 4-6 เดือน ตกูกครั้งละ 1 ตัว ลูกกระเจงเติบโตเต็มที่พร้อมที่จะผสมพันธุ์เมื่อมีอายุได้เพียง 5 เดือน เป็นสัตว์ที่มีความสามารถในการแพร่พันธุ์สูง
สถานภาพ :	ในป่าสะแกราชพบไม่บ่อยนัก กฎหมายจัดเป็นสัตว์ป่าคุ้มครอง
Characteristics :	Head and body 40-48 cm; tail 6.5-8 cm; heights at shoulder 20 cm. This is the smallest hoofed mammal in the world, with the body weights of only 1-2 kg. Adults have no antlers, but with tiny, downward-pointed tusks, longer in a male, used primarily for fighting. Body hairs are chestnut with distinctive 3 white stripes at its breast extending along the belly. It has pencil-thin legs and a slender, hump-backed body.
Distribution :	Southern Myanmar, Thailand, Laos, Kampuchea, Vietnam, Malaysia and Indonesia.
Habitat :	Keeps in dense thickets that helping to camouflage them from enemies. In Sakaerat forest, they are reported to stay at Sab Jek and Khao Khieo.
Habit :	Solitary in feeding habit, keeping in pairs only during breeding season. They are active both by day and by night. Diet comprises tender grasses, twigs, leaves, shoots, fallen fruits. Breeding can occur at any time of the year; gestation lasting 4-6 months, after which only one fawn is born. Young become mature at the age of 5 months. This mouse deer has a remarkably high fecundity.

Status : Not frequently found in Sakaerat area; it is protected by law as a protected wild animal.




1 : 5.6 cm

กระเจิงเล็ก

Lesser Mouse Deer

Tragulus javanicus (Osbeck, 1765)