



เก้ง

ลักษณะ :	ความยาวลำตัวและหัว 90-105 ซม. หางยาว 17-19 ซม. น้ำหนัก 20-28 กิโลกรัม อยู่ในวงศ์เดียวกับกวางแต่มีขนาดเล็กกว่า ขนตามลำตัวเป็นสีน้ำตาลแกมแดง หรือสีน้ำตาลแกมเหลือง ขนตั้งแต่บริเวณหลังหูไปจนถึงสันคอมีสีดำเป็นแนวยาวเรื่อยลงมาถึงจมูก ได้ตามีต่อมน้ำตาเป็นทางยาว เก้งตัวผู้มีเขาสั้น ๆ ยื่นออกมาจากบริเวณหน้าผากและมีเขี้ยวออกยาวออกมาจากริมฝีปาก
เขตแพร่กระจาย :	ศรีลังกา อินเดีย เนปาล จีนตอนใต้ เมียนมาร์ ไทย ลาว กัมพูชา เวียดนาม มาเลเซีย และอินโดนีเซีย ในประเทศไทยพบทั่วทุกภาค
ที่อยู่อาศัย :	ป่าเต็งรังและป่าดิบแล้งในป่าสะแกราช พบรอยเท้าเก้งปรากฏให้เห็นทั่วไป เช่น บริเวณป่าเต็งรังทางไปถ้ำหินเจียว และทางไปเขาพะยอม
อุปนิสัย :	หากินตามลำพัง ยกเว้นในช่วงฤดูผสมพันธุ์หรือมีลูกอ่อน ออกหากินเวลากลางวัน กินพืชเป็นอาหาร เช่น ใบไม้ หญ้าและลูกไม้ที่ร่วงหล่นลงมา และกินโป่งด้วย ผสมพันธุ์ในช่วงเดือนพฤศจิกายน-พฤษภาคม ตั้งท้องนาน 6 เดือน
สถานภาพ :	พบชุกชุมในป่าสะแกราช กฎหมายจัดเป็นสัตว์ป่าคุ้มครอง
Characteristics :	Head and body 90-105 cm; tail 17-19 cm; weight 20-28 kg. A smaller relative of deer with reddish brown or yellowish brown body; hairs at ear backs to neck spine darker and extending downward to its nose. A large tear gland is evidently seen below each eye. A buck has short antlers at his forehead and long canines protruding beyond the lips.
Distribution :	Sri Lanka, India, Nepal, southern China, Myanmar, Thailand, Laos, Kampuchea, Vietnam, Malaysia and Indonesia. Found all over the country in Thailand.
Habitat :	Throughout the dry dipterocarp and dry evergreen forests of Sakaerat, tracks of this muntjac are seen, such as along the trails to Hin Khieo cave and to Khao Phayom.
Habit :	Generally solitary, but keeping in pairs during the breeding season or a doe staying with her fawn. Searching for leaves, grasses and fallen fruits in the daytime, also visiting a salt lick. Mating season falls between November-May; a gestation period lasting for 6 months.
Status :	Quite abundant in Sakaerat forest, they are protected legally as a protected wild animal.



1 : 11.9 cm.



เก้ง

(ชื่ออื่น : ฟาน, อีเก้ง)

Common Barking Derr, Common Muntjac

Muntiacus muntja (Zimmermann, 1780)